

To: Seyfried, Erin[Seyfried.Erin@epa.gov]
Cc: Stoddard, Jamey[Stoddard.Jamey@epa.gov]; Shaw, Hanh[Shaw.Hanh@epa.gov]
From: Cool, Richard
Sent: Thur 2/7/2013 5:40:18 PM
Subject: Re: Fw: Call with Heather Ptak (Shell)

Non-Responsive

Non-Responsive

Non-Responsive

From: Erin Seyfried/R10/USEPA/US
To: Richard Cool/R10/USEPA/US@EPA,
Cc: Jamey Stoddard/R10/USEPA/US@EPA
Date: 02/06/2013 03:08 PM
Subject: Re: Fw: Call with Heather Ptak (Shell)

Hello -

Heather just called and asked the following two questions with respect to the initial toxicity screening requirements:

1) For discharges with greater than 1 discharge point (ex. non-contact cooling water and deck drainage at around 7 - 9 discharge points), is the Permittee to sample each discharge point 4 times per well? Or 4 composite samples of all discharge points per discharge per well?

---EES Draft Opinion: I am not opposed to a composite sample across the 7 - 9 discharge points per discharge category...but I think this could use further discussion.

2) What about discharges that are only released once per well (i.e. boiler blowdown)? Does the "4 times per well" requirement still stand? Do they need to discharge more frequently to meet that requirement?

---EES Draft Opinion: I think that they could sample 4 times over the period of the one discharge event; or sample just the once with notes that this is not a continuous or frequent discharge.

I think these questions are aimed more towards Rick and myself, but Jamey, if you have any thoughts, feel free to weigh in. I did not share any of my opinions with Heather, would rather wait until Monday.

Thank you,
Erin

From: Richard Cool/R10/USEPA/US
To: Heather.Ptak@shell.com
Cc: Erin Seyfried/R10/USEPA/US@EPA, Jamey Stoddard/R10/USEPA/US@EPA
Date: 02/06/2013 02:05 PM
Subject: Fw: Call with Heather Ptak (Shell)

Hi Heather:

In one of our December discussions, you posed the question of whether the WET holding times apply to both initial and renewal samples. We will be prepared to discuss that issue on Monday and Jamey will be able to attend at the beginning of the Monday call to discuss any other WET questions you might have pending.

If you have other WET questions and your time permits, please forward them to the three of us if you can before the meeting which might give us time to review and be prepared to respond.

Thanks.

Rick

----- Forwarded by Richard Cool/R10/USEPA/US on 02/06/2013 02:01 PM -----

Call with Heather Ptak (Shell)

Mo
n
02/
11/
20
13
1:3
0
PM -
2:3

0
PM

Richard Cool

Chair: Erin Seyfried/R10/USEPA/US

Location: Mining Room

Richard Cool/R10/USEPA/US@EPA
Optional: Jamey Stoddard/R10/USEPA/US@EPA

